

Kodak

Document Scanner

Product Specifications

With a wide range of department-level, entry-level production, mid-range, and high-speed scanners, Kodak has the products to meet the demands of any operation. The following charts have been provided to help easily compare the features and specifications of the family of *Kodak* Scanners.

With so much to offer, it's easy to see why Kodak is the number one choice for document scanning.

For additional information on the full range of *Kodak* Scanners, visit www.kodak.com/go/docimaging or contact your Authorized Reseller of *Kodak* Document Imaging Products.

iNnovation you can count on™

DOCUMENT
IMAGING



Kodak Document Scanner Product Specifications

Specification	Kodak Scanner Model											
	i50/i60	1500	2500	3500	3520	3590C	4500	7520	9520D SpeedP	9520D ProdP	i810/ i820	i830/ i840
Document Feeding	● Standard						○ Optional					
A4 / Letter per Minute 200 dpi Portrait B&W	20 / 25	40	50	60	60 / 67	60 / 67	*	90	120	102	97	129
A4 / Letter per Minute 200 dpi Landscape B&W	—	50	60	75	75 / 85	75 / 85	*	120	160	127	120	160
A4 / Letter per Minute 300 dpi Portrait B&W	15	32	36	40	40 / 45	40 / 45	—	60	80	68	65	86
A4 / Letter per Minute 300 dpi Landscape B&W	—	36	43	50	50 / 57	50 / 57	—	80	108	90	84	112
A4 / Letter per Minute 400 dpi Portrait B&W	—	—	—	—	—	—	—	—	—	—	40	53
A4 / Letter per Minute 400 dpi Landscape B&W	—	—	—	—	—	—	—	—	—	—	46	61
A4 / Letter per Minute 100 dpi Portrait Color	10	—	—	—	—	60 / 67	60 / 67	—	—	—	97	129
A4 / Letter per Minute 100 dpi Landscape Color	—	—	—	—	—	75 / 85	75 / 85	—	—	—	120	160
A4 / Letter per Minute 150 dpi Portrait Color	10	—	—	—	—	40 / 45	40 / 45	—	—	—	97	129
A4 / Letter per Minute 150 dpi Landscape Color	—	—	—	—	—	50 / 57	50 / 57	—	—	—	120	160
Flatbed Scanning	●	●	—	—	—	—	—	—	—	—	—	—
Semi-automatic Document Feeder	—	—	—	—	—	—	—	●	●	—	—	—
Automatic Document Feeder (ADF)	●	●	●	●	●	●	●	○	○	●	●	●
Feeder Capacity (Semi-automatic Feeder)	—	—	—	—	—	—	—	150	150	150	—	—
Feeder Capacity (Automatic Feeder)	50	200	300	150 (250)	250	150 (250)	250	300	300	300	1,000	1,000
Continuous Paper Loading (ADF Only)	—	●	●	●	●	●	●	●	●	●	●	●
Manual Feed	●	●	●	●	●	●	●	●	●	●	●	●
Feeder Gap Release for Thick Documents	—	—	—	●	●	●	●	●	●	●	●	●
Long Document Feeding ≥ (76 cm/30 in)	—	—	●	—	—	—	—	●	●	●	●	●
Jog Key for Advancing Transport	—	—	—	—	—	—	—	●	●	●	●	●
Feed Tray with Side Guides	●	●	●	●	●	●	●	●	●	●	●	●
Check Feeding	—	—	—	—	—	—	—	—	○	○	●	●
Check Stacking	—	—	—	—	—	—	—	—	○	○	●	●
A3 Feed Tray Extension	—	●	●	●	●	●	●	●	●	●	●	●
A3 Output Tray Extension	—	●	●	●	●	●	●	●	●	●	●	●
Multi-Feed Detection (Length)	●	—	—	●	●	●	●	●	●	●	●	●
Multi-Feed Detection (Thickness)	—	●	●	—	●	●	●	—	●	●	●	●
3-D Multi-Feed Detection (Ultrasonic)	—	—	—	—	—	—	—	—	—	—	●	●
Skew Detection	—	●**	—	—	●	—	—	●	●	●	●	●
Jam Detection	●	●	●	●	●	●	●	●	●	●	●	●
Minimum Document Size (l x w cm)	9.4x14	13.8x10.6	7.0x4.9	6.4x6.4	6.4x6.4	6.4x6.4	6.4x6.4	6.4x6.4	6.4x6.4	6.4x6.4	6.4x6.4	6.4x6.4
Minimum Document Size (l x w in)	3.7x5.5	5.4x4.2	2.8x1.9	2.5x2.5	2.5x2.5	2.5x2.5	2.5x2.5	2.5x2.5	2.5x2.5	2.5x2.5	2.5x2.5	2.5x2.5

* 200 dpi bitonal images can be produced in software via ISIS and TWAIN drivers

** Handled in software

Kodak Document Scanner Product Specifications

Specification	Kodak Scanner Model											
	i50/i60	1500	2500	3500	3520	3590C	4500	7520	9520 SpeedP	9520D ProdP	i810/ i820	i830/ i840
Document Feeding (continued)	● Standard ○ Optional											
Maximum Document Size (l x w cm)	21.6x35.6	43.2x30.5	83.8x30.5	66.0x30.5	66.0x30.5	66.0x30.5	66.0x30.5	76.8x30.5	76.8x30.5	76.8x30.5	76.8x30.5	76.8x30.5
Maximum Document Size (l x w in)	8.5x14	17x12	33x12	26x12	26x12	26x12	26x12	30x12	30x12	30x12	30x12	30x12
Maximum Document Thickness (cm)	0.015	0.020	0.020	0.076	0.076	0.076	0.076	*	*	0.076	0.076	0.076
Maximum Document Thickness (in)	0.006	0.008	0.008	0.030	0.030	0.030	0.030	*	*	0.030	0.030	0.030
Portrait Scanning A3 Width	—	●	●	●	●	●	●	●	●	●	●	●
Landscape Scanning A4 Width	—	●	●	●	●	●	●	●	●	●	●	●
Onionskin Document Feeding	w/platen	w/platen	—	●	●	●	●	●	●	●	●	●
Cardboard Folder Feeding	w/platen	w/platen	—	●	●	●	●	●	●	●	●	●
Key Characteristics												
Simplex Model Available	●	—	—	●	—	—	●	—	—	—	—	—
Duplex Model Available	●	●	●	●	●	●	●	●	●	●	●	●
Bitonal Scanning	●	●	●	●	●	●	**	●	●	●	●	●
Color Scanning	●	—	—	—	—	●	●	—	—	—	i820	i840
Bi-chromodal Scanning (Color Front, B&W Rear)	—	—	—	—	—	●	—	—	—	—	—	—
Grayscale Image Capture	●	●	●	●	●	●	—	●	●	●	●	●
Grayscale Image Output	●	●	●	—	—	—	***	—	—	—	i820***	i840***
Scanner Dimensions												
Height (cm)	20.2	29.6	24.6	31.75	31.75	31.75	31.75	43	122	122	124	124
Height (in)	7.83	11.7	9.7	12.5	12.5	12.5	12.5	16.9	48	48	49	49
Width (cm, Without Console - With Console)	57.6-84.6	46.4	49.5	53.3	53.3	53.3	53.3	54-132.5	74-152	74-152	66	66
Width (in, Without Console - With Console)	22.32-32.8	18.3	19.5	21	21	21	21	21.3-52.3	29-60	29-60	26	26
Depth (cm)	35	71.7	57.5	70	70	70	70	93	130	130	127	127
Depth (in)	13.78	28.2	22.6	27.5	27.5	27.5	27.5	36.6	51	51	50	50
Weight (kg)	6.72	30	19	29	29	29	29	86	<295	<295	<204	<204
Weight (lbs)	14.82	66	41.8	64	64	64	64	190	<650	<650	<450	<450
Scanner Features												
Console with Wheels for Convenient Scanning Operation	—	—	—	—	—	—	—	○	●	●	●	●
Workstation Side Console for Convenient Storage	—	—	—	—	—	—	—	—	○	○	—	—
Image Addressing	—	—	—	—	—	—	—	●	●	●	●	●
Document Counting	—	—	—	—	—	—	—	●	●	●	●	●

* Semi-automatic document feeder: 0.036 cm (0.014 in.); Automatic document feeder: 0.076 cm (0.030 in.)

** 200 dpi bitonal images can be produced in software via ISIS and TWAIN drivers

*** Color output can be converted to grayscale via host PC

Kodak Document Scanner Product Specifications

Specification	Kodak Scanner Model											
	i50/i60	1500	2500	3500	3520	3590C	4500	7520	9520D SpeedP	9520D ProdP	i810/ i820	i830/ i840
Scanner Features (continued)	<div style="display: flex; justify-content: space-around; align-items: center;"> ● Standard ○ Optional </div>											
Programmable Modes	—	—	—	—	—	—	—	●	●	●	via host	via host
Hot Keys for Access to Features	—	—	—	—	—	—	—	●	●	●	●	●
Operator Interface with Minimal Controls	●	●	●	●	●	●	●	●	—	—	●	●
Operator Keyboard	—	—	—	—	—	—	—	—	●	●	●	●
Display with Text Messages	—	●	●	—	—	—	—	●	●	●	●	●
Audible Warnings	—	●	●	●	●	●	●	●	●	●	●	●
Straight-Through Paper Path Option	●	—	●	—	—	—	—	—	—	—	—	—
Electronic Color Dropout	—	—	—	—	—	—	—	—	—	—	●	●
Image Processing												
200 dpi Output Bitonal	●	●	●	●	●	●	—	●	●	●	●	●
300 dpi Output Bitonal	●	●	●	●	●	●	—	●	●	●	●	●
400 dpi Output Bitonal	—	—	—	—	—	—	—	—	—	—	●	●
Grayscale Output	●	●	●	—	—	—	—	—	—	—	—	—
Color Output	●	—	—	—	—	●	●	—	—	—	i820	i840
Scalable Output Resolution (Black & White)	50-600	Up to 600	Up to 600	—	—	—	—	70-300	70-300	70-300	200-400**	200-400**
CCITT Group III-1D Compression	—	●	●	●	●	*	—	●	●	●	●	●
CCITT Group III-2 D Compression	—	●	●	●	●	*	—	●	●	●	●	●
CCITT Group IV Compression	—	●	●	●	●	*	—	●	●	●	●	●
Uncompressed B&W Image Output	●	●	●	●	●	*	—	●	●	●	●	●
Image Filtering	—	●	●	●	●	*	—	●	●	●	●	●
Noise Filtering	—	●	●	●	●	*	—	●	●	●	●	●
Dithering	●	●	●	●	●	*	—	●	●	●	●	●
B&W Image Enhancement	●	●	●	●	●	*	—	●	●	●	●	●
B&W Image Enhancement Technology	—	IE	IE	ATP	ATP	ATP*	—	ATP	ATP	ATP	ATP	ATP
Contour Tracing (Accurate Image Edge Detection)	—	—	—	—	●	—	—	●	●	●	●	●
Skew Correction	—	—	—	—	●	—	—	●	●	●	●	●
Auto Cropping	—	—	—	—	●	—	—	●	●	●	●	●
Black Border Reduction	—	—	—	—	—	—	—	●	●	●	Bitonal	Bitonal
Automatic Color Balancing	●	—	—	—	—	●	●	—	—	—	i820	i840
Color Correction	●	—	—	—	—	●	●	—	—	—	i820	i840
Color Image Sharpening	●	—	—	—	—	●	●	—	—	—	i820	i840
On-board JPEG Compression	—	—	—	—	—	●	●	—	—	—	i820	i840
Zone Processing	—	—	—	—	—	—	—	—	—	—	i820	i840

* Bitonal scanning mode only

** Not scalable; output resolutions are 200, 240, 300, or 400 dpi

Kodak Document Scanner Product Specifications

Specification	Kodak Scanner Model									
	i50/i60	1500	2500	3500	3520	3590C	4500	7520	9520D SpeedP	9520D ProdP
Accessories*	● Standard					○ Optional				
Endorsing (Check Processing)	—	—	—	—	—	—	—	—	○	○
Multi-Feed Detection	●	●	●	—	●	●	●	—	●	●
Footswitch	—	—	—	—	—	—	—	○	○	○
Bar Code Reading	—	●	●	—	—	—	—	○	●	●
Codabar	—	●	●	—	—	—	—	○	●	●
Code 2 of 5 Interleaved	—	●	●	—	—	—	—	○	●	●
Code 39	—	●	●	—	—	—	—	○	●	●
Patch Reading	—	●	●	—	—	—	—	○	●	●
Patch 2	—	●	●	—	—	—	—	○	●	●
Patch 3	—	●	●	—	—	—	—	○	●	●
Transfer Patch	—	●	●	—	—	—	—	○	●	●
Scan Mode Toggle Patch (B&W <-> Color)	—	—	—	—	—	●	—	—	—	—
Document Imprinting	—	○	○	—	DP only	—	DP only	○	○	○
Number of characters max.	—	72	72	—	40	—	40	38	38	38
Pre-scan Imprinting	—	○	○	—	DP only	—	DP only	○	○	○
Post-scan Imprinting	—	—	○	—	—	—	—	○	—	—
Both Pre- and Post-scan Imprinting	—	—	—	—	—	—	—	○	—	—
Enhanced Document Imprinting (Max12 lin x 12 char)	—	—	—	—	—	—	—	—	○	○
Red Color Drop Out	●	Special**	●	○	○	***	—	○	○	○
Blue Color Drop Out	●	—	—	○	○	***	—	○	○	○
Green Color Drop Out	●	—	—	○	○	***	—	○	○	○

* The i800 Series Scanners do not have separate accessories—most functionality on the Accessories table is built in; see sales brochure A-5597 for more information.

** Standard on back side of documents; available on front side of documents only by alteration request.

*** Bitonal scanning mode only.

Kodak Document Scanner Product Specifications

Specification	Kodak Scanner Model											
	i50/i60	1500	2500	3500	3520	3590C	4500	7520	9520D SpeedP	9520D ProdP	i810/i820	i830/i840
Operating Conditions												
Temperature (°C)	5-35	15-30	15-30	15-35	15-35	15-35	15-35	15-30	15-30	15-30	15-35	15-35
Temperature (°F)	41-95	59-86	59-86	59-95	59-95	59-95	59-95	59-86	59-86	59-86	59-95	59-95
Humidity (%)	20-80	20-80	20-80	15-76	15-76	15-76	15-76	15-76	15-76	15-76	15-76	15-76
Interfacing	<div style="display: flex; justify-content: space-around;"> ● Standard ○ Optional </div>											
SCSI-2 Interface	●	●	●	●	●	●	●	●	●	●	—	—
SCSI-2 Fast and Wide Interface, 68-pin	—	—	—	—	—	—	—	—	—	—	●	●
RS-232 Interface for Service Diagnostics	—	—	—	—	—	—	—	●	●	●	●	●
SCSI Terminator	●	●	●	●	●	●	●	—	—	—	●**	●**
ISIS Driver	●	●	●	●	●	●	●	PixTran	PixTran	PixTran	●	●
TWAIN Driver	●	●	●	●	●	●	●	*	*	*	●	●
Kodak Mode Setup Software	—	—	—	—	—	—	—	○	○	○	—	—
Kodak Low-Volume Capture Software Lite	—	●	●	—	—	—	—	—	—	—	—	—
Kodak Low-Volume Capture Software (Full)	—	○	○	—	—	—	—	—	—	—	—	—
Kodak Mid-Volume Capture Software (Demo)	—	—	—	●	●	●	●	—	—	—	—	—
Kodak Mid-Volume Capture Software	—	—	—	○	○	○	○	—	—	—	—	—
Kodak High-Volume Capture Software	—	—	—	—	—	—	—	○	○	○	○	○

Pricing Worksheet	Kodak Scanner Model											
	i50/i60	1500	2500	3500	3520	3590C	4500	7520	9520D SpeedP	9520D ProdP	i810/i820	i830/i840
Simplex		—	—		—	—		—	—	—	—	—
Duplex												
With printer	—			—		—						

*Available free via download

**Internal active termination; can be disabled via host PC

Kodak Document Scanner Product Specifications

Regulatory Approvals	i50	i60	1500	2500	3500	3520	3590C	4500	7520 (100/ 120V)	7520 (230V)	7560 (Japan)	9520	i800 Series
ISO 9001	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
ISO 9002	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
ISO 14001	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
UL 1950 (USA Safety)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
C-UL (Canada Safety to CSA 22.2 No.950 Standard)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
CSA 22.2 No. 950 (Canada Safety)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
CE Mark	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
C-Tick	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
TUV (Rheinland) EN60950 (European Union Safety)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
EN 55022 ITE Emissions class A	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
EN 55022 ITE Emissions class B	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
CFR 47 Part 15 Subpart B (FCC class A)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
CFR 47 Part 15 Subpart B (FCC class B)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
ICES - 003 Issue 3 (Canada class A)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
VCCI class A (Japan EMI)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
VCCI class B (Japan EMI)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
Taiwan CNS 13438 class A	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
Taiwan CNS 13438 class B	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
AS/NZS 3548 (Australia / NZ EMI class A)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
AS/NZS 3548 (Australia / NZ EMI class B)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
EN 50082 - 1: 92 Generic Immunity (European Union)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
EN 50082 - 2: 95 Generic Immunity (European Union)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
EN 61000-3-2 Powerline harmonics (Mandatory 01.01.01)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
EN 61000 - 3 - 3 Flicker (Mandatory 01.01.01)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
EN 55024 - ITE Immunity (Mandatory 01.07.01)	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant
KEY													
Compliant	Compliant												
Non-Compliant	Non-Compliant												

Information is accurate at the time of publication and is subject to change without notice.

